


GCMS ANALYSIS

PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

DATE: January 28, 2020



Due to volume turnover, this report is not lot specific. It is representative of the quality of this oil produced by the manufacturer of this product. Specific lots may vary slightly as is the case in natural products.





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|---------------------------------|------|
| 1 | 4,29 | ACETONE | 0,02 |
| 2 | 5,09 | ISOVALERALDEHYDE | 0,01 |
| 3 | 5,45 | METHYL VINYL KETONE | 0,02 |
| 4 | 6,75 | alpha-PINENE | 0,04 |
| 5 | 7,34 | ETHYL 2-METHYLBUTYRATE | 0,03 |
| 6 | 9,44 | SABINENE | 0,02 |
| 7 | 10,05 | 2-METHY-LPROPYL BUTYRATE | 0,02 |
| 8 | 11,00 | beta-MYRCENE | 0,02 |
| 9 | 11,44 | alpha-TERPINENE | 0,01 |
| 10 | 12,58 | LIMONENE | 0,04 |
| 11 | 13,02 | 1,8-CINEOLE + beta-PHELLANDRENE | 0,02 |
| 12 | 14,02 | FURAN, 2-PENTYL- | 0,05 |
| 13 | 14,15 | ALIPHATIC ESTER | 0,01 |
| 14 | 14,27 | cis-beta-OCIMENE | 0,13 |
| 15 | 14,80 | gamma-TERPINENE | 0,08 |
| 16 | 15,13 | trans-beta-OCIMENE | 0,75 |
| 17 | 16,05 | p-CYMENE | 0,04 |
| 18 | 16,73 | TERPINOLENE | 0,05 |
| 19 | 17,21 | OCTANAL | 0,02 |
| 20 | 18,03 | TRIDECANE | 0,02 |
| 21 | 19,88 | 5-HEPTEN-2-ONE, 6-METHYL- | 0,01 |
| 22 | 20,47 | ARTEMISIA KETONE | 0,34 |
| 23 | 23,39 | NONANAL | 0,02 |
| 24 | 23,73 | YOMOGI ALCOHOL | 0,05 |
| 25 | 24,81 | ARTEMISIA ALCOHOL | 0,06 |
| 26 | 27,24 | alpha-CUBEBENE | 0,02 |
| 27 | 27,93 | alpha-LONGIPINENE | 0,02 |
| 28 | 27,99 | SILPHINENE | 0,04 |
| 29 | 28,39 | AROMATIC COMPOUND Mw=174 | 0,02 |
| 30 | 28,69 | BICYCLOELEMENE | 0,26 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|-----------------------------------|------|
| 31 | 29,21 | 3-HEXENYL ISOVALERATE | 0,02 |
| 32 | 29,46 | alpha-COPAENE | 0,08 |
| 33 | 30,24 | ARTEMISIA ALCOHOL ISOMER | 0,04 |
| 34 | 31,01 | beta-BOURBONENE | 0,01 |
| 35 | 31,15 | MODHEPHENE | 0,09 |
| 36 | 31,63 | alpha-GURJUNENE | 0,03 |
| 37 | 31,93 | alpha-ISOCOMENE | 0,28 |
| 38 | 32,23 | 2-NONENAL | 0,01 |
| 39 | 32,31 | beta1-CUBEBENE | 0,03 |
| 40 | 32,89 | LINALOOL | 0,01 |
| 41 | 33,59 | 1-OCTANOL | 0,01 |
| 42 | 34,36 | epsilon-CADINENE | 0,04 |
| 43 | 34,49 | beta-ISOCOMENE | 0,06 |
| 44 | 35,18 | alpha-trans-BERGAMOTENE | 0,01 |
| 45 | 35,42 | beta-CUBEBENE | 0,16 |
| 46 | 35,48 | beta-ELEMENE | 0,03 |
| 47 | 35,69 | beta-CARYOPHYLLENE | 0,25 |
| 48 | 35,89 | SELINADIENE ISOMER | 0,05 |
| 49 | 36,04 | TERPINENE-4-OL | 0,01 |
| 50 | 36,18 | SESQUITERPENE | 0,01 |
| 51 | 36,41 | AROMADENDRENE | 0,11 |
| 52 | 36,55 | LAVANDULYL ACETATE | 0,02 |
| 53 | 36,84 | COPACAMPHENE | 0,02 |
| 54 | 37,05 | THUJOPSENE | 0,02 |
| 55 | 38,20 | PREZIZA-7-ENE ISOMER | 0,01 |
| 56 | 38,45 | GERMACRENE A | 0,01 |
| 57 | 38,63 | ALLO-AROMADENDRENE | 0,20 |
| 58 | 39,28 | 3,7-NONADIEN-2-ONE, 4,8-DIMETHYL- | 0,08 |
| 59 | 39,68 | ZONARENE | 0,01 |
| 60 | 39,77 | 1-NONANOL | 0,01 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|--------------------------|-------|
| 61 | 40,02 | alpha-HUMULENE | 0,08 |
| 62 | 40,57 | E-beta-FARNESENE | 39,30 |
| 63 | 41,34 | Z-beta-FARNESENE | 0,05 |
| 64 | 41,38 | gamma-MUUROLENE | 0,08 |
| 65 | 41,61 | gamma-CURCUMENE | 0,08 |
| 66 | 41,81 | CALAMENENE ISOMER | 0,04 |
| 67 | 41,89 | LEDENE | 0,21 |
| 68 | 42,63 | GERMACRENE D | 4,89 |
| 69 | 42,71 | MUUROLADIENE ISOMER | 0,01 |
| 70 | 42,88 | beta-SELINENE | 0,05 |
| 71 | 43,06 | AROMATIC COMPOUND | 0,24 |
| 72 | 43,19 | SESQUITERPENE | 0,01 |
| 73 | 43,35 | alpha-ZINGIBERENE | 0,09 |
| 74 | 43,54 | alpha-MUUROLENE | 0,08 |
| 75 | 43,68 | Z,E-alpha-FARNESENE | 0,12 |
| 76 | 43,77 | beta-BISABOLENE | 0,31 |
| 77 | 44,00 | BICYCLOGERMACRENE | 6,29 |
| 78 | 44,28 | COMPOUND Mw=172 | 0,01 |
| 79 | 45,10 | E,E-alpha-FARNESENE | 2,56 |
| 80 | 45,25 | delta-CADINENE | 0,23 |
| 81 | 45,33 | SELINADIENE ISOMER | 0,06 |
| 82 | 45,51 | SESQUITERPENE Mw=202 | 0,01 |
| 83 | 45,64 | METHYL SALICYLATE | 0,02 |
| 84 | 46,13 | beta-SESQUIPHELLANDRENE | 0,15 |
| 85 | 46,26 | alpha-CURCUMENE | 0,04 |
| 86 | 46,37 | trans-alpha-BISABOLENE | 0,01 |
| 87 | 46,56 | CADINA-1,4-DIENE | 0,01 |
| 88 | 47,15 | SESQUITERPENE Mw=202 | 0,02 |
| 89 | 47,30 | AROMATIC COMPOUND Mw=200 | 0,01 |
| 90 | 47,32 | alpha-AMORPHENE | 0,01 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|------------------------|------|
| 91 | 48,58 | 2,4-DECADIENAL | 0,04 |
| 92 | 49,11 | beta-DAMASCENONE | 0,02 |
| 93 | 50,94 | GERANIOL | 0,03 |
| 94 | 52,29 | AROMATIC COMPOUND | 0,02 |
| 95 | 52,99 | SESQUIROSEFURAN Mw=218 | 0,10 |
| 96 | 53,22 | AROMATIC COMPOUND | 0,02 |
| 97 | 54,01 | DIHYDROCHAMAZULEN | 0,01 |
| 98 | 54,16 | SESQUITERPENIC EPOXIDE | 0,02 |
| 99 | 54,55 | GERANYL BUTYRATE | 0,02 |
| 100 | 54,94 | PALUSTROL | 0,05 |
| 101 | 54,99 | beta-IONONE | 0,02 |
| 102 | 55,27 | DENDROLASIN Mw=218 | 0,26 |
| 103 | 55,36 | SESQUITERPENIC EPOXIDE | 0,09 |
| 104 | 55,59 | SESQUITERPENIC EPOXIDE | 0,05 |
| 105 | 55,63 | TERPENIC ESTER | 0,02 |
| 106 | 56,35 | SESQUITERPENIC EPOXIDE | 0,03 |
| 107 | 56,93 | ISOCARYOPHYLLENE OXIDE | 0,02 |
| 108 | 57,11 | AROMATIC COMPOUND | 0,03 |
| 109 | 57,62 | CARYOPHYLLENE OXIDE | 0,05 |
| 110 | 58,26 | SESQUITERPENIC EPOXIDE | 0,06 |
| 111 | 58,54 | SESQUITERPENOL | 0,04 |
| 112 | 58,66 | DEHYDRO-beta-IONONE | 0,02 |
| 113 | 59,02 | CHRYSANTHEMOL ISOMER | 0,04 |
| 114 | 59,21 | COMPOUND Mw=152 | 0,10 |
| 115 | 59,37 | METHYLEUGENOL | 0,01 |
| 116 | 59,57 | SESQUITERPENIC EPOXIDE | 0,02 |
| 117 | 59,64 | AROMATIC COMPOUND | 0,02 |
| 118 | 59,73 | AROMATIC COMPOUND | 0,02 |
| 119 | 60,12 | SESQUITERPENOL | 0,02 |
| 120 | 60,18 | LEDOL | 0,09 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|-------------------------------------|-------|
| 121 | 60,42 | SESQUITERPENIC EPOXY ACETATE Mw=178 | 0,20 |
| 122 | 60,60 | PENTADECANAL | 0,14 |
| 123 | 60,94 | NEROLIDOL | 0,28 |
| 124 | 61,28 | GERMACRENE D-4-OL | 0,02 |
| 125 | 61,51 | GLEENOL | 0,07 |
| 126 | 61,66 | Epi-CUBENOL | 0,02 |
| 127 | 61,93 | CUBENOL | 0,05 |
| 128 | 62,20 | ALIPHATIC ALCOHOL | 0,02 |
| 129 | 62,54 | GLOBULOL | 0,19 |
| 130 | 62,93 | VIRIDIFLOROL | 0,19 |
| 131 | 63,20 | SESQUITERPENIC EPOXIDE | 0,03 |
| 132 | 64,03 | 10-epi-gamma-EUDESMOL | 0,05 |
| 133 | 64,32 | SESQUITERPENOL | 0,08 |
| 134 | 64,46 | ALIPHATIC ESTER | 0,21 |
| 135 | 64,51 | SESQUITERPENIC EPOXIDE | 0,07 |
| 136 | 64,72 | ALIPHATIC ESTER | 0,06 |
| 137 | 64,86 | SESQUITERPENIC EPOXIDE | 0,04 |
| 138 | 65,03 | SPATHULENOL | 1,72 |
| 139 | 65,10 | BISABOLOL C OXIDE | 0,09 |
| 140 | 65,38 | COMPOUND Mw=220 | 0,02 |
| 141 | 65,63 | BISABOLOL OXIDE B | 10,19 |
| 142 | 65,86 | SESQUITERPENIC EPOXIDE | 0,31 |
| 143 | 65,92 | SESQUITERPENOL | 0,06 |
| 144 | 66,11 | COMPOUND Mw=180 | 0,01 |
| 145 | 66,32 | SESQUITERPENOL | 0,01 |
| 146 | 66,38 | MINT SULFIDE | 0,01 |
| 147 | 66,67 | SESQUITERPENIC EPOXIDE | 0,02 |
| 148 | 66,80 | ALIPHATIC ESTER | 0,24 |
| 149 | 67,00 | AROMATIC COMPOUND | 0,02 |
| 150 | 67,22 | T-CADINOL | 0,16 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|------------------------|------|
| 151 | 67,59 | BISABOLOL OXIDE A | 7,54 |
| 152 | 67,87 | SESQUITERPENOL | 0,07 |
| 153 | 68,01 | alpha-MUUROLOL | 0,07 |
| 154 | 68,39 | AROMATIC COMPOUND | 0,04 |
| 155 | 68,53 | SESQUITERPENOL | 0,02 |
| 156 | 68,58 | SESQUITERPENIC EPOXIDE | 0,04 |
| 157 | 68,69 | delta-CADINOL | 0,03 |
| 158 | 68,84 | SESQUITERPENOL | 0,03 |
| 159 | 69,32 | SESQUITERPENIC EPOXIDE | 0,02 |
| 160 | 69,50 | alpha-BISABOLOL | 0,59 |
| 161 | 69,87 | BISABOLOL OXIDE ISOMER | 0,46 |
| 162 | 70,03 | alpha-CADINOL | 0,19 |
| 163 | 70,14 | SESQUITERPENIC EPOXIDE | 0,14 |
| 164 | 70,25 | FARNESYL ACETATE | 0,02 |
| 165 | 70,60 | SESQUITERPENIC EPOXIDE | 0,07 |
| 166 | 70,91 | SESQUITERPENOL | 0,03 |
| 167 | 71,07 | BERGAMOTOL ISOMER | 0,16 |
| 168 | 71,62 | ALIPHATIC ESTER | 0,03 |
| 169 | 71,83 | AROMATIC COMPOUND | 0,04 |
| 170 | 71,98 | SESQUITERPENIC EPOXIDE | 0,03 |
| 171 | 72,09 | CAPRIC ACID | 0,10 |
| 172 | 72,52 | ALIPHATIC ALCOHOL | 0,02 |
| 173 | 72,76 | SESQUITERPENIC EPOXIDE | 0,02 |
| 174 | 72,91 | AROMATIC COMPOUND | 0,03 |
| 175 | 73,28 | SESQUITERPENONE | 0,04 |
| 176 | 73,44 | COMPOUND Mw=200 | 0,02 |
| 177 | 73,57 | MATRICARIA ESTER | 0,26 |
| 178 | 73,89 | COMPOUND Mw=248 | 0,05 |
| 179 | 74,11 | GERANYLLINALOOL | 0,10 |
| 180 | 74,40 | TRICOSANE | 0,14 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|-------------------------|------|
| 181 | 74,61 | BERGAMOTOL ISOMER | 0,01 |
| 182 | 74,98 | AROMATIC COMPOUND | 0,01 |
| 183 | 75,21 | TERPENIC ESTER | 0,01 |
| 184 | 75,61 | AROMATIC COMPOUND | 0,01 |
| 185 | 75,70 | KETONIC COMPOUND | 0,05 |
| 186 | 76,05 | SESQUITERPENIC EPOXIDE | 0,06 |
| 187 | 76,36 | AROMATIC COMPOUND | 0,08 |
| 188 | 76,65 | SESQUITERPENIC EPOXIDE | 0,01 |
| 189 | 76,86 | ALIPHATIC ALCOHOL | 0,01 |
| 190 | 77,02 | SESQUITERPENOL | 0,02 |
| 191 | 77,22 | DITERPENE Mw=272 | 0,02 |
| 192 | 77,55 | CHAMAZULEN | 7,13 |
| 193 | 78,35 | SESQUITERPENIC ALCOHOL | 0,03 |
| 194 | 78,61 | alpha-BISABOLOL A OXIDE | 5,38 |
| 195 | 78,90 | SESQUITERPENIC EPOXIDE | 0,02 |
| 196 | 78,95 | TETRACOSANE | 0,03 |
| 197 | 79,23 | AROMATIC COMPOUND | 0,02 |
| 198 | 81,70 | AROMATIC COMPOUND | 0,04 |
| 199 | 82,42 | LAURIC ACID | 0,02 |
| 200 | 82,46 | ALIPHATIC ESTER | 0,02 |
| 201 | 83,39 | PENTACOSANE | 0,29 |
| 202 | 84,46 | SYRINGADEHYDE | 0,03 |
| 203 | 85,28 | ALIPHATIC ESTER | 0,03 |
| 204 | 85,64 | COMPOUND Mw=220 | 0,02 |
| 205 | 86,35 | ALIPHATIC ESTER | 0,02 |
| 206 | 86,80 | DITERPENE Mw=272 | 0,02 |
| 207 | 87,53 | PHYTOL | 0,15 |
| 208 | 89,30 | DITERPENE Mw=272 | 0,03 |
| 209 | 90,55 | Epi-MANOOL | 0,04 |
| 210 | 91,76 | HEPTACOSANE | 0,05 |

Disclaimer & Caution





PRODUCT NAME: CHAMOMILE GERMAN ESSENTIAL OIL (BULGARIA) - 11331

| Peak | RT (min) | Compound name | % |
|------|----------|--------------------------------------|-------|
| 211 | 98,84 | 2-ACETYL-6-METHOXY-NAPHTALENE Mw=200 | 0,70 |
| 212 | 99,61 | PALMITIC ACID | 0,04 |
| 213 | 100,07 | HERNIARIN | 0,07 |
| | | TOTAL | 99,88 |

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. New Directions Aromatics Inc. provides the information contained herein, but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of New Directions Aromatics Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of New Directions Aromatics Inc. is limited to the value of the goods and does not include any consequential loss. New Directions Aromatics Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. New Directions Aromatics Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agrees that Jurisdiction is limited to the province of Ontario.



www.newdirectionsaromatics.com Tel: 1-800-246-7817 Fax: 1-800-246-8207